



SAINT-GOBAIN

---

## CE DECLARATION OF PERFORMANCE (DoP)



### Posi Joist

Document Number	Unique number as printed on affixed goods label and delivery paperwork
Identification	As Works Order reference number
Type	Posi Joist
Intended Use	In Buildings – Use Class 1 & Class 2 ETA-20/1169 and EAD 130031-00-0304, Timber structures – Product requirements for pre-fabricated structural members assembled with punched metal plate fasteners and metal posi struts
Manufacturer	Saint Gobain Construction Products UK t/a Pasquill

#### Manufacturing Plants:

WIGAN LANE  
DUXBURY, CHORLEY  
LANCS, PR7 4BU  
[Cert No. 2812-CPR-0241](#)

SALBROOK ROAD  
SALFORDS  
REDHILL, RH1 5GJ  
[Cert No. 2812-CPR-0243](#)

COOKSLAND ROAD  
BODMIN  
PL31 2RH  
[Cert No. 2812-CPR-0507](#)

9 GRAYS ROADM ELMS INDUSTRIAL ESTATE  
UDDINGSTON,  
G71 6ET  
[Cert No. 2812-CPR-TBA](#)

STATION ROAD  
STONE STANTON  
LEICESTERSHIRE, LE9 4NA  
[Cert No. 2812-CPR-1189](#)

System and assessment of verification of constancy of performance of the construction product as set out in Annex V :

System of Assessment	1
Notified Body	Element Materials Technology Rotterdam B.V., Zekeringstraat 33, 1014 BV, Amsterdam, Netherlands”
Tasks performed by the Notified Body	For System 1 Initial Type Testing Initial Assessment of Factory Production Control Continuous surveillance of Factory Production Control
Certificate of Conformity	2812–CPR - as listed above

BM Trada performed the initial inspection of the manufacturing plant and of factory production control and the continuous surveillance, assessment and evaluation of factory production control under system 1 and issued the certificate of constancy of performance on the basis of ETA-20/1169 and EAD 130031-00-0304

#### Declared Performance

Essential Characteristics	Declared Performance	Harmonised Technical Specification
Reaction to Fire	D-s2, dO	CWFT – EN 13501 -1
Fire Resistance	NPD	EN 13501 - 2
Release of Dangerous Substances	NPD	
Natural Durability (not treated)	Class 4	EN 350-2
When Preservative Treated	Type : Low pressure vacuum	
Penetration Class	Penetration : NP 1	EN 15228 (BS 8417)
Retention Rates	Retention : 4.5 kg/m3 Use Class 2 Target Biological Agents : Fungi & Insect	EN 15228 (BS 8417)
	Punched metal plates : Pass	EN 14545

The performance of this product is in conformity with the declared performance stated above.

This Declaration of Performance is issued under the sole responsibility of the manufacturing plants identified above.

Signed for and on behalf of the manufacturer by:

Name: Philip Pointon

Function: Quality & Risk Director

Signed:  Date: 01/08/2024